

ETSI TS 119 192 V1.2.1 (2023-02)



TECHNICAL SPECIFICATION

Electronic Signatures and Infrastructures (ESI); AdES related Uniform Resource Identifier

Reference

RTS/ESI-0019192v121

Keywords

electronic signature, URI

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our
Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.
All rights reserved.

Contents

Intellectual Property Rights	4
Foreword.....	4
Modal verbs terminology.....	4
Introduction	4
1 Scope	5
2 References	5
2.1 Normative references	5
2.2 Informative references.....	6
3 Definition of terms, symbols and abbreviations.....	6
3.1 Terms.....	6
3.2 Symbols.....	6
3.3 Abbreviations	6
4 URI namespaces	7
4.1 The main branch.....	7
4.2 URIs used to describe signature levels	7
4.2.1 Baseline signature and container levels as defined in the standardization framework for signatures ETSI TR 119 000.....	7
4.2.2 Baseline signature and container levels as defined in the CID 2015/1506	7
4.2.3 Extended signature levels as defined in the standardization framework for signatures ETSI TR 119 000	8
4.3 How to reference specific signature format version	9
4.4 How to reference specific attribute/properties in an AdES signature.....	9
Annex A (informative): Change History	10
History	11

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Electronic Signatures and Infrastructures (ESI).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

Uniform Resource Identifiers (URIs) allow to uniquely identify specific values. The ETSI framework for standardization of signatures as described in ETSI TR 119 000 [i.1] contains documents for different signatures formats (CAAdES ETSI EN 319 122-1 [5], XAdES ETSI EN 319 132-1 [8] or PAdES ETSI EN 319 142-1 [11]) as well as the ASiC format for signature containers ETSI EN 319 162-1 [13]. Some concepts apply for all the signature formats and even for the signature containers. The present document allows to define corresponding URIs and describe more generally how to build URIs to describe specific elements in a signature format or container.

1 Scope

The present document describes the root Uniform Resource Identifier (URI) <http://uri.etsi.org/ades> and sub branches that allow to define URI applicable for more than one AdES signature format and/or the ASiC signature container.

The present document describes how to define URIs to reference a specific version and/specific attribute/property of an AdES format.

NOTE: The present document defines URIs which are not used as pointers to a specific location but are used as unique identifiers.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [ETSI TS 103 171](#): "Electronic Signatures and Infrastructures (ESI); XAdES Baseline Profile".
- [2] [ETSI TS 103 172](#): "Electronic Signatures and Infrastructures (ESI); PAdES Baseline Profile".
- [3] [ETSI TS 103 173](#): "Electronic Signatures and Infrastructures (ESI); CAdES Baseline Profile".
- [4] [ETSI TS 103 174](#): "Electronic Signatures and Infrastructures (ESI); ASiC Baseline Profile".
- [5] [ETSI EN 319 122-1](#): "Electronic Signatures and Infrastructures (ESI); CAdES digital signatures; Part 1: Building blocks and CAdES baseline signatures".
- [6] [ETSI EN 319 122-2](#): "Electronic Signatures and Infrastructures (ESI); CAdES digital signatures; Part 2: Extended CAdES signatures".
- [7] [ETSI TS 119 122-3](#): "Electronic Signatures and Infrastructures (ESI); CAdES digital signatures; Part 3: Incorporation of Evidence Record Syntax (ERS) mechanisms in CAdES".
- [8] [ETSI EN 319 132-1](#): "Electronic Signatures and Infrastructures (ESI); XAdES digital signatures; Part 1: Building blocks and XAdES baseline signatures".
- [9] [ETSI EN 319 132-2](#): "Electronic Signatures and Infrastructures (ESI); XAdES digital signatures; Part 2: Extended XAdES signatures".
- [10] [ETSI TS 119 132-3](#): "Electronic Signatures and Infrastructures (ESI); XAdES digital signatures; Part 3: Incorporation of Evidence Record Syntax (ERS) mechanisms in XAdES".
- [11] [ETSI EN 319 142-1](#): "Electronic Signatures and Infrastructures (ESI); PAdES digital signatures; Part 1: Building blocks and PAdES baseline signatures".
- [12] [ETSI EN 319 142-2](#): "Electronic Signatures and Infrastructures (ESI); PAdES digital signatures; Part 2: Additional PAdES signatures profiles".
- [13] [ETSI EN 319 162-1](#): "Electronic Signatures and Infrastructures (ESI); Associated Signature Containers (ASiC); Part 1: Building blocks and ASiC baseline containers".

- [14] Void.
- [15] [ETSI TS 119 182-1](#): "Electronic Signatures and Infrastructures (ESI); JAdES digital signatures; Part 1: Building blocks and JAdES baseline signatures".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] [ETSI TR 119 000](#): "Electronic Signatures and Infrastructures (ESI); The framework for standardization of signatures: overview".
- [i.2] [Commission Implementing Decision \(EU\) 2015/1506 of 8 September 2015](#) laying down specifications relating to formats of advanced electronic signatures and advanced seals to be recognised by public sector bodies pursuant to Articles 27(5) and 37(5) of Regulation (EU) No 910/2014 of the European Parliament and of the Council on electronic identification and trust services for electronic transactions in the internal market (Text with EEA relevance).
- [i.3] [ETSI TR 119 001](#): "Electronic Signatures and Infrastructures (ESI); The framework for standardization of signatures; Definitions and abbreviations".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ETSI TR 119 001 [i.3] and the following apply:

AdES (digital) signature: digital signature that is either a CAdES signature, a PAdES signature, a XAdES signature, or a JAdES signature

JAdES signature: JSON Web Signature

NOTE: As defined in ETSI TS 119 182-1 [15].

signature class: set of signatures achieving a given functionality

signature level: format specific definition of a set of data incorporated into a digital signature, which allows to implement a signature class

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI TR 119 001 [i.3] and the following apply:

CID	Commission Implementation Decision
URI	Uniform Resource Identifier

4 URI namespaces

4.1 The main branch

Any URI under the root `http://uri.etsi.org/ades` shall be used to describe URIs applicable for all types of AdES signatures.

4.2 URIs used to describe signature levels

4.2.1 Baseline signature and container levels as defined in the standardization framework for signatures ETSI TR 119 000

A URI describing a baseline signature level which is defined in ETSI EN 319 122-1 [5] (CAAdES), ETSI EN 319 132-1 [8] (XAdES) and ETSI EN 319 142-1 [11] (PAdES) or a baseline container level which is defined in ETSI EN 319 162-1 [13] (ASiC) shall be built in the following way:

`http://uri.etsi.org/ades/191x2/level/baseline/<name-of-the-baselinelevel>#`

where:

- **191x2:** states that the level is defined in all the signature format documents with a number x19 1x2:
 - **level:** states that this URI defines a signature level:
 - **baseline:** states that this URI defines a baseline signature level.

The following URIs are defined:

- `http://uri.etsi.org/ades/191x2/level/baseline/B-B#` shall denote a **B-B** level as defined in ETSI EN 319 122-1 [5] (CAAdES), ETSI EN 319 132-1 [8] (XAdES), ETSI EN 319 142-1 [11] (PAdES), ETSI EN 319 162-1 [13] (ASiC) or ETSI TS 119 182-1 [15] (JAdES);
- `http://uri.etsi.org/ades/191x2/level/baseline/B-T#` shall denote a **B-T** level as defined in ETSI EN 319 122-1 [5] (CAAdES), ETSI EN 319 132-1 [8] (XAdES), ETSI EN 319 142-1 [11] (PAdES), ETSI EN 319 162-1 [13] (ASiC) or ETSI TS 119 182-1 [15] (JAdES);
- `http://uri.etsi.org/ades/191x2/level/baseline/B-LT#` shall denote a **B-LT** level as defined in ETSI EN 319 122-1 [5] (CAAdES), ETSI EN 319 132-1 [8] (XAdES), ETSI EN 319 142-1 [11] (PAdES), ETSI EN 319 162-1 [13] (ASiC) or ETSI TS 119 182-1 [15] (JAdES);
- `http://uri.etsi.org/ades/191x2/level/baseline/B-LTA#` shall denote a **B-LTA** level as defined in ETSI EN 319 122-1 [5] (CAAdES), ETSI EN 319 132-1 [8] (XAdES), ETSI EN 319 142-1 [11] (PAdES), ETSI EN 319 162-1 [13] (ASiC) or ETSI TS 119 182-1 [15] (JAdES).

NOTE: For the specification of ASiC levels see ETSI EN 319 162-1 [13], clause 5.1.

4.2.2 Baseline signature and container levels as defined in the CID 2015/1506

A URI describing a baseline signature level which is defined in ETSI TS 103 171 [1] (XAdES), ETSI TS 103 172 [2] (PAdES) and ETSI TS 103 173 [3] (CAAdES) or a baseline container level which is defined in ETSI TS 103 174 [4] (ASiC) as referenced in the CID 2015/1506 [i.2]) shall be built in the following way:

`http://uri.etsi.org/ades/etsits/level/baseline/<name-of-the-baselinelevel>#`

where:

- **etsits:** states that the level is defined in all the signature format documents with a number x19 1x2:
 - **level:** states that this URI defines a signature level:
 - **baseline:** states that this URI define a baseline signature level.

The following URIs are defined:

- <http://uri.etsi.org/ades/etsits/level/baseline/B-B#> shall denote a **B** level as defined in ETSI TS 103 171 [1] (XAdES), ETSI TS 103 172 [2] (PAdES), ETSI TS 103 173 [3] (CAAdES) or ETSI TS 103 174 [4] (ASiC);
- <http://uri.etsi.org/ades/etsits/level/baseline/B-T#> shall denote a **T** level as defined in ETSI TS 103 171 [1] (XAdES), ETSI TS 103 172 [2] (PAdES), ETSI TS 103 173 [3] (CAAdES) or ETSI TS 103 174 [4] (ASiC);
- <http://uri.etsi.org/ades/etsits/level/baseline/B-LT#> shall denote an **LT** level as defined in ETSI TS 103 171 [1] (XAdES), ETSI TS 103 172 [2] (PAdES), ETSI TS 103 173 [3] (CAAdES) or ETSI TS 103 174 [4] (ASiC);
- <http://uri.etsi.org/ades/etsits/level/baseline/B-LTA#> shall denote an **LTA** level as defined in ETSI TS 103 171 [1] (XAdES), ETSI TS 103 172 [2] (PAdES) or ETSI TS 103 173 [3] (CAAdES).

NOTE 1: For the specification of ASiC levels see ETSI TS 103 174 [4], clause 4.

NOTE 2: No LTA level for ASiC is defined in ETSI TS 103 174 [4].

4.2.3 Extended signature levels as defined in the standardization framework for signatures ETSI TR 119 000

A URI describing an extended signature level which is defined in more than one of the documents ETSI EN 319 122-2 [6] (CAAdES), ETSI EN 319 132-2 [9] (XAdES) or ETSI EN 319 142-2 [12] (PAdES) shall be built in the following way:

<http://uri.etsi.org/ades/191x2/level/extended/<name-of-the-extendedlevel>#>

where:

- **191x2:** states that the level is defined in more than one of the signature format documents with a number x19 1x2:
 - **level:** states that this URI defines a signature level:
 - **extended:** states that this URI define an extended signature level.

The following URIs are defined:

- <http://uri.etsi.org/ades/191x2/level/extended/E-BES#> shall denote an E-BES level as defined in ETSI EN 319 122-2 [6] (CAAdES), ETSI EN 319 132-2 [9] (XAdES) or ETSI EN 319 142-2 [12] (PAdES);
- <http://uri.etsi.org/ades/191x2etsits/level/extended/E-EPES#> shall denote an E-EPES level as defined in ETSI EN 319 122-2 [6] (CAAdES), ETSI EN 319 132-2 [9] (XAdES) or ETSI EN 319 142-2 [12] (PAdES);
- <http://uri.etsi.org/ades/191x2/level/extended/E-T#> shall denote an E-T level as defined in ETSI EN 319 122-2 [6] (CAAdES) or ETSI EN 319 132-2 [9] (XAdES);
- <http://uri.etsi.org/ades/191x2/level/extended/E-A#> shall denote an E-A level as defined in ETSI EN 319 122-2 [6] (CAAdES) or ETSI EN 319 132-2 [9] (XAdES);
- <http://uri.etsi.org/ades/191x2/level/extended/E-ERS#> shall denote an E-ERS level as defined in ETSI TS 119 122-3 [7] (CAAdES) or ETSI TS 119 132-3 [10] (XAdES).

4.3 How to reference specific signature format version

To reference a specific version of a signature format or an ASiC container the URI shall have the following structure:

`http://uri.etsi.org/<number_of_the_document>/<specific_version>`

The `number_of_the_document` shall be the five-digit number obtained by removing the first digit of the ETSI document number, and any part or sub-part numbers.

The `specific_version` shall be of format `vx.y.z` where `x.y.z` are the three digits used to identify an ETSI document version.

EXAMPLE: Version V1.1.1 of ETSI EN 319 122-1 [5] is referenced as `http://www.etsi.org/19122/v1.1.1`.

4.4 How to reference specific attribute/properties in an AdES signature

To reference a specific attribute/property of a signature format or of an ASiC container, the URI shall have the following structure:

`http://uri.etsi.org/<number_of_the_document>/<specific_version> <name_of_the_attribute_or_property>`

The `number_of_the_document` and `specific_version` shall be as defined in clause 4.3.

The `name_of_the_attribute_or_property` shall be the name of the attribute or property as used within the specific ETSI document.

EXAMPLE: The `signature-time-stamp` as defined in ETSI EN 319 122-1 [5] is referenced as `http://uri.etsi.org/19122/v1.1.1/signature-time-stamp`.

NOTE 1: A signature attribute or property is always specified together with the version of the ETSI document in which it is defined.

NOTE 2: In case the URI references as attribute a signature included in an ASiC container, a specific attribute/property of a signature format can be referenced as specified in the present clause.

Annex A (informative): Change History

Date	Version	Information about changes
January 2023	1.1.2	Implementation of: <ul style="list-style-type: none">• CR: include JAdES to the corresponding URIs
January 2023	1.1.3	Add "-1" to the references of ETSI TS 119 182
January 2023	1.1.4	Remove unnecessary ";"

History

Document history		
V1.1.1	May 2021	Publication
V1.2.1	February 2023	Publication